

Issue Date 17-Oct-2019

# SAFETY DATA SHEET

Version 6.2

Page

1/14

Product identifier **Product Name** Sulfuric Acid Standard Solution 0.035 N Other means of identification Product Code(s) 2349732 M00621 Safety data sheet number Recommended use of the chemical and restrictions on use **Recommended Use** Laboratory reagent. Standard solution. Uses advised against None. **Restrictions on use** None.

**1. IDENTIFICATION** 

Revision Date 17-Oct-2019

Details of the supplier of the safety data sheet

**Manufacturer Address** Hach Company P.O.Box 389 Loveland, CO 80539 USA +1(970) 669-3050

#### Emergency telephone number

+1(303) 623-5716 - 24 Hour Service

### 2. HAZARDS IDENTIFICATION

#### Classification

#### **Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious eve damage/eve irritation	Category 1

#### Hazards not otherwise classified (HNOC) Not applicable

#### Label elements

Signal word Danger



Hazard statements H318 - Causes serious eye damage

#### **Precautionary statements**

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

#### Other Hazards Known

None

### **3. COMPOSITION/INFORMATION ON INGREDIENTS**

# Substance

Not applicable

#### <u>Mixture</u>

**Chemical Family** 

Mixture.

#### Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No.	Percent Range	HMRIC #
Isopropyl alcohol	67-63-0	1 - 5%	-
Sulfuric acid	7664-93-9	<1%	-

## **4. FIRST AID MEASURES**

#### Description of first aid measures

General advice	Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.
Inhalation	Remove to fresh air. Get medical attention immediately if symptoms occur.
Eye contact	Get immediate medical advice/attention. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area.
Skin contact	Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.
Self-protection of the first aider	Avoid contact with skin, eyes or clothing.
Most important symptoms and effe	cts, both acute and delayed
Symptoms	Burning sensation.
Indication of any immediate medical attention and special treatment needed	
Note to physicians	Treat symptomatically.

### **5. FIRE-FIGHTING MEASURES**

**Suitable Extinguishing Media** Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

EN / AGHS

Product Code(s) 2349732 Issue Date 17-Oct-2019 Version 6.2	Product Name Sulfuric Acid Standard Solution 0.035 N Revision Date 17-Oct-2019 Page 3 / 14		
Unsuitable Extinguishing Media	Caution: Use of water spray when fighting fire may be inefficient.		
Specific hazards arising from the chemical	No information available.		
Hazardous combustion products	Sulfur oxides. Carbon monoxide, Carbon dioxide.		
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.		

# 6. ACCIDENTAL RELEASE MEASURES

U.S. Notice	Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.
Personal precautions, protective ec	quipment and emergency procedures
Personal precautions	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.
Other Information	Refer to protective measures listed in Sections 7 and 8.
Environmental precautions	
Environmental precautions	Prevent further leakage or spillage if safe to do so.
Methods and material for containm	ent and cleaning up
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Pick up and transfer to properly labeled containers.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.
Reference to other sections	See section 8 for more information. See section 13 for more information.

# 7. HANDLING AND STORAGE

Precautions for safe handling				
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product.			
Conditions for safe storage, including any incompatibilities				
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children.			
Flammability class	Class IIIB			

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

#### **Exposure Guidelines**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH		
Isopropyl alcohol	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm		
CAS#: 67-63-0	TWA: 200 ppm	TWA: 980 mg/m <sup>3</sup>	TWA: 400 ppm		
		(vacated) TWA: 400 ppm	TWA: 980 mg/m <sup>3</sup>		
		(vacated) TWA: 980 mg/m <sup>3</sup>	STEL: 500 ppm		
		(vacated) STEL: 500 ppm	STEL: 1225 mg/m <sup>3</sup>		
		(vacated) STEL: 1225 mg/m <sup>3</sup>			
Sulfuric acid	TWA: 0.2 mg/m <sup>3</sup> thoracic	TWA: 1 mg/m <sup>3</sup>	IDLH: 15 mg/m <sup>3</sup>		
CAS#: 7664-93-9	particulate matter	(vacated) TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>		
Appropriate engineering controls					
Engineering Controls	Showers				
	Eyewash stations				
	Ventilation systems.				
Individual protection measures, suc			<b>12 1 1 1</b>		
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are				
	exceeded or irritation is experienced, ventilation and evacuation may be required.				
Hand Protection	d Protection Wear suitable gloves.				
Tianu Protection	wear suitable gloves.				
Eye/face protection	Tight sealing safety goggles.				
Skin and body protection Wear suitable protective clothing.					
General Hygiene Considerations Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do					
	not eat, drink or smoke when using this product.				
Environmental exposure controls	Local authorities should be advised if significant spillages cannot be contained. Do not				
- -	allow into any sewer, on the ground or into any body of water.				
Thermal hazards	hermal hazards None under normal processing.				
9. PHYSICAL AND CHEMICAL PROPERTIES					

#### Information on basic physical and chemical properties

	queous solution Icoholic	Liquid	Color Odor threshold	colorless No data available
Property_			<u>Values</u>	Remarks • Method
Molecular weight			No data available	
рН			1.6	
Melting point/freezing	ng point		-1 °C / 30 °F	
Boiling point / boilin	ng range		89 °C / 192 °F	
Evaporation rate			0.86 (water = 1)	
Vapor pressure			17.327 mm Hg / 2.31 kPa at 20	D°C / 68°F
Vapor density (air =	1)		0.64	

Specific gravity (water = 1 / air = 1)	0.9943
Partition Coefficient (n-octanol/water)	Not applicable
Soil Organic Carbon-Water Partition	Not applicable
Autoignition temperature	No data available
Decomposition temperature	No data available
Dynamic viscosity	~ 1.2 cP (mPa s) at 20 °C / 68 °F
Kinematic viscosity	$\sim 1.207 \; cSt \; (mm^2\!/s) \;$ at $\; 20 \; ^\circ C \;$ / $\; 68 \; ^\circ F$

#### Solubility(ies)

#### Water solubility

Water solubility classification	Water solubility	Water Solubility Temperature
Soluble	> 1000 mg/L	25 °C / 77 °F

#### Solubility in other solvents

Chemical Name	Solubility classification	<u>Solubility</u>	Solubility Temperature
Acid	Soluble	> 1000 mg/L	25 °C / 77 °F
Ethyl alcohol	Soluble	> 1000 mg/L	25 °C / 77 °F
Methanol	Soluble	> 1000 mg/L	25 °C / 77 °F

#### **Other Information**

#### **Metal Corrosivity**

Steel Corrosion Rate Aluminum Corrosion Rate 1.4 mm/yr / 0.06 in/yr 1.04 mm/yr / 0.04 in/yr

#### Volatile Organic Compounds (VOC) Content See ingredients information below

Chemical name	CAS No.	Volatile organic compounds (VOC) content	CAA (Clean Air Act)
Isopropyl alcohol	67-63-0	100%	Х
Sulfuric acid	7664-93-9	No data available	-

#### **Explosive properties**

Upper explosion limit Lower explosion limit	No data available No data available
Flammable properties	
Flash point Method	> 100 °C / 212 °F CC (closed cup)
Flammability Limit in Air Upper flammability limit Lower flammability limit	No data available No data available
Oxidizing properties	No data available.

**Bulk density** 

Product NameSulfuric Acid Standard Solution 0.035 NRevision Date17-Oct-2019Page6 / 14

No data available

## **10. STABILITY AND REACTIVITY**

Reactivity Not applicable.

<u>Chemical stability</u> Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### Possibility of Hazardous Reactions

None under normal processing.

#### Hazardous polymerization

None under normal processing.

#### Conditions to avoid

None known based on information supplied.

#### Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents.

#### Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

### **11. TOXICOLOGICAL INFORMATION**

#### Information on Likely Routes of Exposure

#### **Product Information**

Inhalation	No known effect based on information supplied.
Eye contact	Severely irritating to eyes. Causes serious eye damage. May cause burns. May cause irreversible damage to eyes.
Skin contact	May cause irritation.
Ingestion	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Symptoms	Redness. Burning. May cause blindness.

#### Acute toxicity

Based on available data, the classification criteria are not met

# Product Acute Toxicity Data

No data available.

# Ingredient Acute Toxicity Data

No data available.

Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data

Isopropyl alcohol (1 - 5%) CAS#: 67-63-0	Rat LD <sub>50</sub>	4710 mg/kg	None reported	<b>Behavioral</b> General anesthetic	OECD 429: Skin Sensitization: Local Lymph Node Assay
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Isopropyl alcohol (1 - 5%) CAS#: 67-63-0	Rabbit LD <sub>50</sub>	12800 mg/kg	None reported	None reported	RTECS (Registry of Toxic Effects of Chemical Substances)
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Isopropyl alcohol (1 - 5%) CAS#: 67-63-0	Rat LC50	72.6 mg/L	4 hours	Behavioral General anesthetic Lungs, Thorax, or Respiration Other changes	RTECS (Registry of Toxic Effects of Chemical Substances)

#### **Unknown Acute Toxicity**

0% of the mixture consists of ingredient(s) of unknown toxicity.

#### Acute Toxicity Estimations (ATE)

ATEmix (oral)	No information available
ATEmix (dermal)	No information available
ATEmix (inhalation-dust/mist)	No information available
ATEmix (inhalation-vapor)	No information available
ATEmix (inhalation-gas)	No information available

#### Skin corrosion/irritation

May cause skin irritation.

#### **Product Skin Corrosion/Irritation Data**

Test data reported below.

Test method	<b>Species</b>	Reported dose	Exposure	Results	Key literature references and
United States	Rabbit	0.5 mL	time	Not corrosive	sources for data
Department of			4 hours	or irritating to	Internal Data
Transportation (DOT)				skin	
Skin Corrosion Test					

### Ingredient Skin Corrosion/Irritation Data

No data available.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Isopropyl alcohol (1 - 5%) CAS#: 67-63-0	Standard Draize Test	Rabbit	500 mg	None reported	Mild skin irritant	RTECS (Registry of Toxic Effects of Chemical Substances)
Sulfuric acid (<1%) CAS#: 7664-93-9	Existing human experience	Human	None reported	None reported	Corrosive to skin	HSDB (Hazardous Substances Data Bank)

#### Serious eye damage/irritation

Classification based on data available for ingredients. Causes burns. Risk of serious damage to eyes.

### Product Serious Eye Damage/Eye Irritation Data

No data available.

#### Ingredient Eye Damage/Eye Irritation Data

No data available.

#### Product Name Sulfuric Acid Standard Solution 0.035 N Revision Date 17-Oct-2019 Page 8 / 14

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Isopropyl alcohol (1 - 5%) CAS#: 67-63-0	Standard Draize Test	Rabbit	100 mg	None reported	Corrosive to eyes	RTECS (Registry of Toxic Effects of Chemical Substances)
Sulfuric acid (<1%) CAS#: 7664-93-9	Existing human experience	Human	None reported	None reported	Corrosive to eyes	HSDB (Hazardous Substances Data Bank)

#### Respiratory or skin sensitization

Based on available data, the classification criteria are not met.

### **Product Sensitization Data**

No data available.

#### **Ingredient Sensitization Data**

No data available.

Chemical name	Test method	Species	Results	Key literature references and sources for data
lsopropyl alcohol (1 - 5%) CAS#: 67-63-0	None reported	Guinea pig	Not confirmed to be a skin sensitizer	OECD 429: Skin Sensitization: Local Lymph Node Assay

#### STOT - single exposure

Based on available data, the classification criteria are not met.

# Product Specific Target Organ Toxicity Single Exposure Data

No data available.

# Ingredient Specific Target Organ Toxicity Single Exposure Data

No data available.

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Isopropyl alcohol	Human	223 mg/kg	None	Behavioral	RTECS (Registry of Toxic
(1 - 5%)	TDLo		reported	Hallucinations, Distorted	Effects of Chemical
CAS#: 67-63-0				perceptions	Substances)
				Cardiac	
				Pulse rate decrease with fall in	
				BP	
				Vascular	
				BP lowering not characterized in	
				autonomic section	
Chemical name	Endpoint	Reported	Exposure Toxicological effects		Key literature references and
	type	dose	time		sources for data
Isopropyl alcohol	Human	35 mg/L	4 hours	Cardiac	RTECS (Registry of Toxic
(1 - 5%)	TCLo			Pulse rate decrease with fall in	Effects of Chemical
CAS#: 67-63-0				BP	Substances)
				Lungs, Thorax, or	
				Respiration	
				Other changes	
Sulfuric acid	Human	0.144 mg/L	5 minutes	Other changes Lungs, Thorax, or	RTECS (Registry of Toxic
Sulfuric acid (<1%)	Human TD∟₀	0.144 mg/L	5 minutes	~	RTECS (Registry of Toxic Effects of Chemical

#### STOT - repeated exposure

Based on available data, the classification criteria are not met.

Product Specific Target Organ Toxicity Repeat Dose Data No data available.

#### **Ingredient Specific Target Organ Toxicity Repeat Exposure Data** No data available.

	Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Γ	Sulfuric acid	Human	0.003 mg/L	168 days	Musculoskeletal	RTECS (Registry of Toxic
	(<1%)	TCLo	-		Changes in teeth and	Effects of Chemical
	CAS#: 7664-93-9				supporting structures	Substances)

#### Carcinogenicity

Based on available data, the classification criteria are not met.

#### **Product Carcinogenicity Data**

No data available.

#### Ingredient Carcinogenicity Data

No data available.

Chemical name	CAS No.	ACGIH	IARC	NTP	OSHA
Isopropyl alcohol	67-63-0	-	Group 3	-	Х
Sulfuric acid	7664-93-9	A2	Group 1	Known	Х

#### Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	A2 - Suspected Human Carcinogen
IARC (International Agency for Research on Cancer)	Group 1 - Carcinogenic to Humans
	Group 3 - Not classifiable as a human
	carcinogen
NTP (National Toxicology Program)	Known - Known Carcinogen
OSHA (Occupational Safety and Health Administration of the US Department of	X - Present
Labor)	

#### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

#### Product Germ Cell Mutagenicity invitro Data

No data available.

#### Ingredient Germ Cell Mutagenicity invitro Data

No data available.

Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
Sulfuric acid (<1%) CAS#: 7664-93-9	Cytogenetic analysis	Hamster ovary	4 mmol/L	None reported	Positive test result for mutagenicity	No information available

#### Product Germ Cell Mutagenicity invivo Data

No data available.

#### Ingredient Germ Cell Mutagenicity invivo Data

No data available.

Chemical name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Isopropyl alcohol (1 - 5%) CAS#: 67-63-0	Cytogenetic analysis	Rat	0.00103 mg/L	16 weeks	Positive test result for mutagenicity	RTECS (Registry of Toxic Effects of Chemical Substances)
Reproductive toxicity	1	•				,

EN / AGHS

Product NameSulfuric Acid Standard Solution 0.035 NRevision Date17-Oct-2019Page10 / 14

Based on available data, the classification criteria are not met.

# Product Reproductive Toxicity Data

No data available.

# Ingredient Reproductive Toxicity Data

No data available.

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Isopropyl alcohol	Rat	32.4 mg/kg	None	Effects on Embryo or Fetus	RTECS (Registry of Toxic
(1 - 5%)	TDLo		reported	Fetal death	Effects of Chemical
CAS#: 67-63-0			-		Substances)
Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Isopropyl alcohol	Rat	7000 mg/L	19 days	Specific Developmental	RTECS (Registry of Toxic
(1 - 5%)	TCLO	_		Abnormalities	Effects of Chemical
CAS#: 67-63-0				Musculoskeletal system	Substances)
Sulfuric acid	Rabbit	0.02 mg/L	7 hours	Specific Developmental	RTECS (Registry of Toxic
(<1%)	TCLO			Abnormalities	Effects of Chemical
CAS#: 7664-93-9				Musculoskeletal system	Substances)

#### Aspiration hazard

Based on available data, the classification criteria are not met.

### **12. ECOLOGICAL INFORMATION**

#### Ecotoxicity

Unknown aquatic toxicity

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment.

#### Product Ecological Data

Aquatic Acute Toxicity No data available.

Aquatic Chronic Toxicity No data available.

#### Ingredient Ecological Data

# Aquatic Acute Toxicity

No data available.

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Isopropyl alcohol (1 - 5%) CAS#: 67-63-0	96 hours	Pimephales promelas	LC <sub>50</sub>	4200 mg/L	IUCLID (The International Uniform Chemical Information Database)
Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Isopropyl alcohol (1 - 5%) CAS#: 67-63-0	48 Hours	None reported	LC <sub>50</sub>	1400 mg/L	IUCLID (The International Uniform Chemical Information Database)
Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Isopropyl alcohol (1 - 5%)	72 Hours	Scenedesmus subspicatus	EC <sub>50</sub>	> 1000 mg/L	IUCLID (The International Uniform Chemical Information

CAS#: 67-63-0						Database)	
Aquatic Chronic Toxic	city						
No data available.							
Persistence and degra	<u>adability</u>						
Product Biodegradab	ility Data						
No data available.							
<b>Bioaccumulation</b>							
Product Bioaccumula	tion Data						
No data available.							
Partition Coefficient (	n-octanol/wa	ter)	Not	applicable			
<u>Mobility</u>							
Soil Organic Carbon-	Water Partitic	n Coefficient	Not	applicable			
Other adverse effects							
Contains a substance v	vith an endocr	ine-disrupting poten	tial.				
13. DISPOSAL CONSIDERATIONS							
Waata traatmant math							
Waste treatment meth	1005						
Waste from residues/ products	unused	Dispose of in according environmental leg		local regulat	ions. Dispose of	waste in accordance with	

Contaminated packaging Do not reuse empty containers.

D002

US EPA Waste Number

**Special instructions for disposal** Dilute to 3 to 5 times the volume with cold water. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. If permitted by regulation. Open cold water tap completely, slowly pour the reacted material to the drain. Flush system with plenty of water. Check with local municipal and state authorities and waste contractors for pertinent local information regarding the proper disposal of chemicals.

	14. TRANSPORT INFORMATION
DOT	Not regulated
TDG	Not regulated
IATA	Not regulated
IMDG	Not regulated

#### Additional information

There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is not in a reagent set or kit, the classification given above applies.

If the item is part of a reagent set or kit the classification would change to the following:

UN3316 Chemical Kit, Hazard Class 9, Packing Group II or III.

If the item is not regulated, the Chemical Kit classification does not apply.

### 15. REGULATORY INFORMATION

National Inventories	
TSCA	Complies
DSL/NDSL	Complies

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

International Inventories	
EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
TCSI	Complies
AICS	Complies
NZIoC	Complies

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

TCSI - Taiwan Chemical Substances Inventory

AICS - Australian Inventory of Chemical Substances

NZIOC - New Zealand Inventory of Chemicals

#### **US Federal Regulations**

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
Isopropyl alcohol (CAS #: 67-63-0)	1.0
Sulfuric acid (CAS #: 7664-93-9)	1.0
SARA 311/312 Hazard Categories	
Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### CWA (Clean Water Act)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sulfuric acid 7664-93-9	1000 lb	-	-	Х

#### <u>CERCLA</u>

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sulfuric acid	1000 lb	1000 lb	RQ 1000 lb final RQ

7664-93-9		RQ 454 kg final RQ
U.S DEA (Drug Enforcement)	Administration) List I & List II	

Chemical name	U.S DEA (Drug Enforcement Administration) - List I or Precursor	U.S DEA (Drug Enforcement Administration) - List II or Essential
	Chemicals	Chemicals
Sulfuric acid	Not Listed	50 gallon Export Volume (exports,
(<1%)		transshipments and international
CAS#: 7664-93-9		transactions to designated countries)

#### US State Regulations

#### **California Proposition 65**

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65	
Sulfuric acid (CAS #: 7664-93-9)	Carcinogen	

WARNING: This product can expose you to chemicals including Sulfuric acid, which is known to the State of California to cause cancer.

For more information, go to <u>http://www.P65Warnings.ca.gov</u>

#### U.S. State Right-to-Know Regulations

This product does not contain any substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania
Isopropyl alcohol	Х	Х	Х
67-63-0			
Sulfuric acid	X	X	Х
7664-93-9			

**U.S. EPA Label Information** 

Chemical name	FIFRA	FDA
Isopropyl alcohol	180.0950	-
Sulfuric acid	180.0910	21 CFR 184.1095

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

# Special Comments

None

#### Additional information

#### Global Automotive Declarable Substance List (GADSL) Not applicable NFPA and HMIS Classifications

NFPA	Health hazards - 3	Flammability - 1	Instability - 0	Physical and chemical properties -
HMIS	Health hazards - 3	Flammability - 1	Physical hazards - 0	Personal protection - X

#### Key or legend to abbreviations and acronyms used in the safety data sheet

NIOSH IDLH

Immediately Dangerous to Life or Health

EN / AGHS

ACGIH	ACGIH (American Conference of Governmental Industrial Hygienists)
NDF	no data

#### Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)		STEL	STEL (Short Term Exposure Limit)
MAC	Maximum Allowable Concentration		Ceiling	Ceiling Limit Value
Х	Listed		Vacated	These values have no official status. The only binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state regulations.
SKN* RSP+ C M	Skin designation Respiratory sensi Carcinogen mutagen	tization	SKN+ ** R	Skin sensitization Hazard Designation Reproductive toxicant
Prepared By		Hach Product Compliance Department		
Issue Date		17-Oct-2019		
Revision Date		17-Oct-2019		
<b>Revision Note</b>		None		
Disclaimer				

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY©2019

End of Safety Data Sheet