

SAFETY DATA SHEET

Be Right[™]

Issue Date 15-Aug-2018 Revision Date 17-Aug-2018 Version 7.2 Page 1/18 **1. IDENTIFICATION** Product identifier **Product Name** STABLCAL® Formazin Standard 20 NTU Other means of identification BCK064 Product Code(s) Safety data sheet number M01360 Recommended use of the chemical and restrictions on use **Recommended Use** Laboratory Use. Standard solution. Uses advised against None. **Restrictions on use** None. Details of the supplier of the safety data sheet **Manufacturer Address**

Hach Company P.O.Box 389 Loveland, CO 80539 USA +1(970) 669-3050

Emergency telephone number

+1(303) 623-5716 - 24 Hour Service +1(515)232-2533 - 8am - 4pm CST

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Respiratory sensitization	Category 1
Skin sensitization	Category 1

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Signal word - Danger



Hazard statements

H317 - May cause an allergic skin reaction H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

Precautionary statements

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P285 - In case of inadequate ventilation wear respiratory protection

P304 + P341 - IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing

P342 + P311 - If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician

P501 - Dispose of contents/ container to an approved waste disposal plant

P272 - Contaminated work clothing should not be allowed out of the workplace

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

P363 - Wash contaminated clothing before reuse

Other Hazards Known

Not applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance Not applicable

Mixture

Chemical Family

Mixture.

Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No.	Percent Range	HMRIC #
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane	100-97-0	5 - 10%	-
Sodium sulfate	7757-82-6	<1%	-
Formaldehyde	50-00-0	<0.1%	-
Ammonium sulfate	7783-20-2	<0.01%	-

4. FIRST AID MEASURES

Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance.		
Inhalation	May cause allergic respiratory reaction. If breathing has stopped, give artificial respiration. Get medical attention immediately. Remove to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Get immediate medical advice/attention.		
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.		
Skin contact	Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician.		
Ingestion	May produce an allergic reaction. Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Get immediate medical advice/attention.		
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or		

clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.

Most important symptoms and effects, both acute and delayed

SymptomsMay cause allergy or asthma symptoms or breathing difficulties if inhaled. Coughing and/ or
wheezing. Itching. Rashes. Hives.

Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons. Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable Extinguishing Media	Caution: Use of water spray when fighting fire may be inefficient.
Specific hazards arising from the chemical	Product is or contains a sensitizer. May cause sensitization by inhalation and skin contact. May cause sensitization by skin contact.
Hazardous combustion products	This material will not burn.
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal
	protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Other Information Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so.

Methods and material for containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Pick up and transfer to properly labeled containers.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.
Reference to other sections	See section 8 for more information. See section 13 for more information.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Provide extract ventilation to points where emissions occur. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes. Take off contaminated clothing and wash before reuse.		
Conditions for safe storage, including any incompatibilities			
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children.		
Flammability class	Not applicable		

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Formaldehyde	STEL: 0.3 ppm	TWA: 0.75 ppm	IDLH: 20 ppm
CAS#: 50-00-0	TWA: 0.1 ppm	(vacated) TWA: 3 ppm	Ceiling: 0.1 ppm 15 min
		(vacated) STEL: 10 ppm	TWA: 0.016 ppm
		(vacated) Ceiling: 5 ppm	
		STEL: 2 ppm	

Appropriate engineering controls Engineering Controls	Showers Eyewash stations Ventilation systems.
Individual protection measures, su	ch as personal protective equipment
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
Hand Protection	Wear suitable gloves.
Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin and body protection	Wear suitable protective clothing.
General Hygiene Considerations	Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use.
Environmental exposure controls	Local authorities should be advised if significant spillages cannot be contained. Do not allow into any sewer, on the ground or into any body of water.
Thermal hazards	None under normal processing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid EN / AGHS Page 4/18

Product Code(s) BCK064 Product Name STABLCAL® Formazin Standard 20 NTU Revision Date 17-Aug-2018 Issue Date 15-Aug-2018 Version 7.2 Page 5/18 Turbid solution Color Milky white Appearance aqueous solution Odorless No data available Odor **Odor threshold** Property Values Remarks • Method Molecular weight No data available pН 8.14 0 °C / 32 °F Melting point/freezing point 100 °C / 212 °F Boiling point / boiling range 1 (water = 1) Estimation based on theoretical Estimation based on theoretical **Evaporation rate** calculation calculation 17.477 mm Hg / 2.33 kPa at 20 °C / 68 °F Estimation based on theoretical Vapor pressure calculation Vapor density (air = 1) 0.62 1.02 Specific gravity (water = 1 / air = 1) Partition Coefficient (n-octanol/water) Not applicable **Soil Organic Carbon-Water Partition** Not applicable Coefficient No data available Autoignition temperature No data available **Decomposition temperature Dynamic viscosity** No data available **Kinematic viscosity** No data available

Solubility(ies)

Water solubility

Water solubility classification	Water solubility	Water Solubility Temperature
Soluble	> 1000 mg/L	25 °C / 77 °F

Solubility in other solvents

Chemical Name	Solubility classification	Solubility	Solubility Temperature
Acid	Soluble	> 1000 mg/L	25 °C / 77 °F

Other Information

Metal Corrosivity

Steel Corrosion Rate Aluminum Corrosion Rate

No data available No data available

Volatile Organic Compounds (VOC) Content

No information available See ingredients information below

Chemical name	CAS No.	Volatile organic compounds (VOC) content	CAA (Clean Air Act)
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]de	100-97-0	Not applicable	Х

Product Name STABLCAL® Formazin Standard 20 NTU Revision Date 17-Aug-2018 Page 6 / 18

Chemical name	CAS No.	Volatile organic compounds (VOC) content	CAA (Clean Air Act)
cane			
Sodium sulfate	7757-82-6	No data available	-
Formaldehyde	50-00-0	No data available	Х
Ammonium sulfate	7783-20-2	No data available	-

Explosive properties

Upper explosion limit Lower explosion limit		No data available No data available
Flammable properties		
Flash point		No data available
Flammability Limit in Air Upper flammability limit Lower flammability limit		No data available No data available
Oxidizing properties		No data available.
Bulk density		No data available
Particle Size	No information available	
Particle Size Distribution	No information available	

10. STABILITY AND REACTIVITY

Reactivity Not applicable.

Chemical stability Stability

Stable under normal conditions.

Explosion data Sensitivity to Mechanical Impact None Sensitivity to Static Discharge None.

<u>Possibility of Hazardous Reactions</u> Possibility of Hazardous Reactions None under normal processing.

Hazardous polymerization None under normal processing.

Conditions to avoidNone known based on information supplied.

Incompatible materials Incompatible materials

Strong oxidizing agents, strong acids, and strong bases.

Hazardous Decomposition Products

Ammonia. Carbon monoxide. Formaldehyde. Nitrogen oxides. Sodium oxides. Sulfur oxides.

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Product Code(s) BCK064					
Issue Date 15-Aug-2018					
Version 7.2					

Product Information

Inhalation	May cause sensitization in susceptible persons.
Eye contact	No known effect based on information supplied.
Skin contact	Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. May cause sensitization by skin contact.
Ingestion	May cause additional affects as listed under "Inhalation".
Symptoms	Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing. Coughing and/ or wheezing. Itching. Rashes. Hives.
Aggravated Medical Conditions Toxicologically synergistic products	Respiratory disorders. Skin disorders. Allergies. None known.
•	See ingredients information below.

Chemical name	Toxicokinetics, metabolism and distribution
	Readily Absorbed via the respiratory and gastrointestinal routes. Absorbed formaldehyde can be oxidized to formate and carbon dioxide. Half-life of formaldehyde is 1 min in rat plasma.

Product Acute Toxicity Data No data available **Oral Exposure Route Dermal Exposure Route** No data available No data available Inhalation (Dust/Mist) Exposure Route No data available Inhalation (Vapor) Exposure Route Inhalation (Gas) Exposure Route No data available

Unknown Acute Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity.

Acute Toxicity Estimations (ATE)

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	No information available
ATEmix (dermal)	No information available
ATEmix (inhalation-dust/mist)	No information available
ATEmix (inhalation-vapor)	No information available
ATEmix (inhalation-gas)	No information available

Ingredient Acute Toxicity Data Oral Exposure Route

Oral Exposure Route If available, see data below					
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat LD ₅₀	100 mg/kg	None reported	None reported	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)
Ammonium sulfate (<0.01%) CAS#: 7783-20-2	Rat LD ₅₀	2840 mg/kg	None reported	None reported	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)

Product Name STABLCAL® Formazin Standard 20 NTU Revision Date 17-Aug-2018 Page 8 / 18

Dermal Exposure Ro Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
Chemical hame	type	dose	time	Toxicological effects	sources for data
Formaldehyde	Rabbit	270 mg/kg	None	None reported	GESTIS (Information System
(<0.1%)	LD ₅₀	210 mg/ng	reported		on Hazardous Substances of
CAS#: 50-00-0	2000		ropontou		the German Social Accident
					Insurance)
nhalation (Dust/Mist) Exposure R	oute		If available, see data below	incaration
Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Formaldehyde	Rat	0.578 mg/L	4 hours	None reported	LOLI
(<0.1%)	LC50	J J			
CAS#: 50-00-0					
nhalation (Vapor) Ex	posure Rout	9		If available, see data below	•
nhalation (Gas) Exp				If available, see data below	
nhalation (Vapor) Ex nhalation (Gas) Exp ngredient Specific T	osure Route		e Exposure Da		
Dral Exposure Route		Demented	F	If available, see data below	
Chemical name	Endpoint	Reported dose	Exposure time	Toxicological effects	Key literature references and
Formaldehyde	type Human	70 mg/kg	None	Gastrointestinal	sources for data RTECS (Registry of Toxic
(<0.1%)		70 mg/kg	reported	Kidney, Ureter, or Bladder	Effects of Chemical
CAS#: 50-00-0			reponeu	Kiulley, Uletel, Ol Blaudel	
			-		Substances)
UA3#. 30-00-0				Liver	Substances)
043#. 30-00-0				Liver Other changes	Substances)
043#. 30-00-0				Liver Other changes Ulcerated stomach	Substances)
	Man	1500 mg/kg	None	Liver Other changes Ulcerated stomach Other changes	
Ammonium sulfate	Man	1500 mg/kg	None	Liver Other changes Ulcerated stomach Other changes Gastrointestinal	RTECS (Registry of Toxic
Ammonium sulfate (<0.01%)	Man TDւօ	1500 mg/kg	None reported	Liver Other changes Ulcerated stomach Other changes	RTECS (Registry of Toxic Effects of Chemical
Ammonium sulfate (<0.01%) CAS#: 7783-20-2	TDLo		reported	Liver Other changes Ulcerated stomach Other changes Gastrointestinal Gas	RTECS (Registry of Toxic Effects of Chemical Substances)
Ammonium sulfate (<0.01%)		1500 mg/kg Reported dose		Liver Other changes Ulcerated stomach Other changes Gastrointestinal	RTECS (Registry of Toxic Effects of Chemical

CAS#: 7783-20-2 Not specified							
	LDLo						
Dermal Exposure Route							
Inhalation (Dust/Mist) Exposure Ro	oute					
Inhalation (Vapor) Exposure Route							
innalation (vapor) Ex	cposure Route	;					
	Dermal Exposure Ro	LD _{L₀}	LDLo				

Human

TDLo

Domestic

mammal -

643 mg/kg

3500 mg/kg

None

reported

None

reported

Gastrointestinal

Lungs, Thorax, or

Respiration

Nausea or vomiting Respiratory obstruction Ulcerated stomach

Lungs, Thorax, or

Respiration Respiratory stimulation

If available, see data below If available, see data below If available, see data below If available, see data below

Aspiration toxicity No data available

Formaldehyde

(<0.1%)

CAS#: 50-00-0

Ammonium sulfate

(<0.01%)

Product Skin Corrosion/Irritation Data No data available.

Ingredient Skin Corrosion/Irritation Data

EN / AGHS

RTECS (Registry of Toxic Effects of Chemical

Substances)

RTECS (Registry of Toxic Effects of Chemical

Substances)

If available, see data b Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decan e (5 - 10%) CAS#: 100-97-0	Organization for Economic Co-operation and Development (OECD) - Test 404: Acute Dermal Corrosion/Irritation	Rabbit	500 mg	4 hours	Not corrosive or irritating to skin	ECHA (The European Chemicals Agency)
Sodium sulfate (<1%) CAS#: 7757-82-6	Standard Draize Test	Rabbit	500 mg	4 hours	Not corrosive or irritating to skin	ECHA (The European Chemicals Agency)
Formaldehyde (<0.1%) CAS#: 50-00-0	Standard Draize Test	Human	0.150 mg	72 hours	Corrosive to skin	RTECS (Registry of Toxic Effects of Chemical Substances)
Ammonium sulfate (<0.01%) CAS#: 7783-20-2	Standard Draize Test	Rabbit	800 mg	20 hours	Not corrosive or irritating to skin	ECHA (The European Chemicals Agency)

Product Serious Eye Damage/Eye Irritation Data

No data available.

Ingredient Eye Damage/Eye Irritation Data

If.	available.	~~~	data	holow	
н	avallable.	see	uala	Delow	

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decan e (5 - 10%) CAS#: 100-97-0	Organization for Economic Co-operation and Development (OECD) - Test 405: Acute Eye Corrosion/Irritation	Rabbit	100 mg	24 hours	Not corrosive or irritating to eyes	ECHA (The European Chemicals Agency)
Sodium sulfate (<1%) CAS#: 7757-82-6	Standard Draize Test	Rabbit	90 mg	24 hours	Not corrosive or irritating to eyes	ECHA (The European Chemicals Agency)
Formaldehyde (<0.1%) CAS#: 50-00-0	Rinse Test	Human	1 ppm	6 minutes	Corrosive to eyes	RTECS (Registry of Toxic Effects of Chemical Substances)
Ammonium sulfate (<0.01%) CAS#: 7783-20-2	Standard Draize Test	Rabbit	0.050 mL	None reported	Not corrosive or irritating to eyes	ECHA (The European Chemicals Agency)

Sensitization Information

<u>Product Sensitization Data</u> Skin Sensitization Exposure Route Respiratory Sensitization Exposure Route

No data available. No data available.

Ingredient Sensitization Data

Skin Sensitization Ex				
Chemical name	Test method	Species	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decan e (5 - 10%)	OECD Test No. 406: Skin Sensitization	Guinea pig	Confirmed to be a skin sensitizer	ECHA (The European Chemicals Agency)

Product Name STABLCAL® Formazin Standard 20 NTU Revision Date 17-Aug-2018 Page 10 / 18

CAS#: 100-97-0								
Sodium sulfate (<1%) CAS#: 7757-82-6	OECD Test No. 406: Skin Sensitization	Guinea pig	Not confirmed to be a skin sensitizer	HSDB (Hazardous Substances Data Bank)				
Formaldehyde (<0.1%) CAS#: 50-00-0	Patch test	Human	Confirmed to be a skin sensitizer	ERMA (New Zealands Environmental Risk Management Authority)				
Respiratory Sensitiza	Respiratory Sensitization Exposure Route If available, see data below.							
Chemical name	Test method	Species	Results	Key literature references and				
		-		sources for data				
1,3,5,7-Tetraazatricyc		Human	Confirmed to be a respiratory	HSDB (Hazardous Substances Data				
lo[3.3.1.1(3,7)]decan	experience		sensitizer	Bank)				
e (5 - 10%) CAS#: 100-97-0								
Formaldehyde	IgE Specific	Guinea pig	Confirmed to be a respiratory	CICAD (Concise International				
	Immune Response		sensitizer	Chemical Assessment Documents)				
CAS#: 50-00-0	Test							

Chronic Toxicity Information

Product Specific Target Organ Toxicity Repeat Dose Data Oral Exposure Route Dermal Exposure Route Inhalation (Dust/Mist) Exposure Route Inhalation (Vapor) Exposure Route Inhalation (Gas) Exposure Route

No data available. No data available. No data available. No data available. No data available.

Ingredient Specific Target Organ Toxicity Repeat Exposure Data

Oral Exposure Route				If available, see data below	
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decan e (5 - 10%)	Rat NOAEL	80 mg/kg	None reported	None reported	Vendor SDS
CAS#: 100-97-0					
Dermal Exposure Rou	ute			If available, see data below	
nhalation (Dust/Mist)	Exposure R	oute		If available, see data below	
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decan e (5 - 10%) CAS#: 100-97-0	Rat TC⊾₀	350 mg/m ³	21 days	Kidney, Ureter, or Bladder Urine volume decreased or anuria Nutritional and Gross Metabolic Weight loss or decreased weight gain Biochemical Enzyme inhibition, induction, or change in blood or tissue levels (true cholinesterase)	RTECS (Registry of Toxic Effects of Chemical Substances)
Inhalation (Vapor) Ex				If available, see data below	1
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Human TC⊾₀	0.017 mg/L	0.5 days	Eye Lungs, Thorax, or Respiration Lacrimation Other changes	RTECS (Registry of Toxic Effects of Chemical Substances)

Product Name STABLCAL® Formazin Standard 20 NTU Revision Date 17-Aug-2018 **Page** 11/18

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data	
Formaldehyde (<0.1%) CAS#: 50-00-0	Human TC∟₀	2 mg/L	40 minutes	Lungs, Thorax, or Respiration Other changes Respiratory depression	RTECS (Registry of Toxic Effects of Chemical Substances)	
Inhalation (Gas) Exp	as) Exposure Route If available, see data below					

Inhalation (Gas) Exposure Route

Product Carcinogenicity Data **Oral Exposure Route Dermal Exposure Route** Inhalation (Dust/Mist) Exposure Route Inhalation (Vapor) Exposure Route Inhalation (Gas) Exposure Route

No data available No data available No data available No data available No data available

Ingredient Carcinogenicity Data

Chemical name	CAS No.	ACGIH	IARC	NTP	OSHA
1,3,5,7-Tetraazatricyclo[3.	100-97-0	-	-	-	-
3.1.1(3,7)]decane					
Sodium sulfate	7757-82-6	-	-	-	-
Formaldehyde	50-00-0	A1	Group 1	Known	Х
Ammonium sulfate	7783-20-2	-	-	-	-

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	A2 - Suspected Human Carcinogen
IARC (International Agency for Research on Cancer)	Group 1 - Carcinogenic to Humans
NTP (National Toxicology Program)	Known - Known Carcinogen
OSHA (Occupational Safety and Health Administration of the US Department of	X - Present
Labor)	

Oral Exposure Route Dermal Exposure Route Inhalation (Dust/Mist) Exposure Route Inhalation (Vapor) Exposure Route				If available, see data below If available, see data below If available, see data below If available, see data below	
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat	15 mg/L	78 weeks	Olfaction Tumors	RTECS (Registry of Toxic Effects of Chemical Substances)

Inhalation (Gas) Exposure Route

If available, see data below

Product Germ Cell Mutagenicity invitro Data No data available.

Ingredient Germ Cell Mutagenicity invitro Data

If available, see data be						
Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decan e (5 - 10%) CAS#: 100-97-0	Cytogenetic analysis	Human HeLa Cell	1 mmol/L	None reported	Positive test result for mutagenicity	RTECS (Registry of Toxic Effects of Chemical Substances)
Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decan	Morphological transformation	Hamster kidney	10 mg/L	None reported	Positive test result for mutagenicity	RTECS (Registry of Toxic Effects of

Product Name STABLCAL® Formazin Standard 20 NTU Revision Date 17-Aug-2018 Page 12 / 18

е			Chemical
(5 - 10%)			Substances)
CAS#: 100-97-0			

Product Germ Cell Mutagenicity invivo Data Oral Exposure Route Dermal Exposure Route Inhalation (Dust/Mist) Exposure Route Inhalation (Vapor) Exposure Route Inhalation (Gas) Exposure Route

No data available No data available No data available No data available No data available

Ingredient Germ Cell Mutagenicity invivo Data

ingreatent Germ Ger		Data				
Oral Exposure Route		If available				
Chemical name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decan e (5 - 10%) CAS#: 100-97-0	Dominant lethal test	Mouse	25000 mg/kg	None reported	Positive test result for mutagenicity	RTECS (Registry of Toxic Effects of Chemical Substances)

Dermal Exposure Route Inhalation (Dust/Mist) Exposure Route Inhalation (Vapor) Exposure Route

If available, see data below If available, see data below

Reported	Exposure	F	
If available	e, see data belo	wc	
ii uvullubic			

Chemical name	Test	Species	Reported	Exposure	Results	Key literature
			dose	time		references and
						sources for data
Formaldehyde	Micronucleus test	Human	.000985 mg/L	8.5 years	Positive test result for	RTECS (Registry
(<0.1%)			-		mutagenicity	of Toxic Effects of
CAS#: 50-00-0						Chemical
						Substances)
Chemical name	Test	Species	Reported	Exposure	Results	Key literature
			dose	time		references and
						sources for data
Formaldehyde	Micronucleus test	Human	2 mg/L	15 minutes	Positive test result for	RTECS (Registry
(<0.1%)			_		mutagenicity	of Toxic Effects of
CAS#: 50-00-0						Chemical
						Substances)

Inhalation (Gas) Exposure Route

Product Reproductive Toxicity Data Oral Exposure Route Dermal Exposure Route Inhalation (Dust/Mist) Exposure Route Inhalation (Vapor) Exposure Route Inhalation (Gas) Exposure Route If available, see data below

No data available No data available No data available No data available No data available

Ingredient Reproductive Toxicity Data

Oral Exposure Route				If available, see data below	
Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Sodium sulfate	Mouse	14000 mg/kg	4 days	Effects on Newborn	RTECS (Registry of Toxic
(<1%)	TDLo			Other neonatal measures or	Effects of Chemical
CAS#: 7757-82-6				effects	Substances)
Dermal Exposure Ro	ute			If available, see data below	
Inhalation (Dust/Mist) Exposure R	oute		If available, see data below	
Inhalation (Vapor) Ex	posure Route	e		If available, see data below	
Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time	-	sources for data
Formaldehyde	Rat	40 mg/L	14 days	Effects on Embryo or Fetus	RTECS (Registry of Toxic

Product Name STABLCAL® Formazin Standard 20 NTU Revision Date 17-Aug-2018 Page 13 / 18

(<0.1%) CAS#: 50-00-0	TCLO			Fetotoxicity (except death e.g. stunted fetus)	Effects of Chemical Substances)
Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Formaldehyde	Rat	.001 mg/L	24 weeks	Effects on Embryo or Fetus	RTECS (Registry of Toxic
(<0.1%)	TCLo	Ū.		Cytological changes (including	Effects of Chemical
CAS#: 50-00-0				somatic cell genetic material)	Substances)
Inhalation (Gas) Exp	osure Route	te If available, see data below			

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product Ecological Data

Aquatic toxicity

Fish Crustacea Algae

<u>Fish</u>

Ingredient Ecological Data

Aquatic toxicity

If available, see ingredient data below Species Endpoint Reported Key

No data available No data available

No data available

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sodium sulfate (<1%) CAS#: 7757-82-6	96 hours	None reported	LC ₅₀	56 mg/L	IUCLID (The International Uniform Chemical Information Database)
Formaldehyde (<0.1%) CAS#: 50-00-0	96 hours	Morone saxatilis	LC ₅₀	6.7 mg/L	PEEN (Pan European Ecological Network)
Ammonium sulfate (<0.01%) CAS#: 7783-20-2	96 hours	Oncorhynchus mykiss	LC ₅₀	36.7 mg/L	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)
Crustacea		lf a	vailable, see i	ngredient data	below
Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sodium sulfate (<1%) CAS#: 7757-82-6	48 Hours	Daphnia magna	EC ₅₀	3150 mg/L	IUCLID (The International Uniform Chemical Information Database)
Formaldehyde (<0.1%) CAS#: 50-00-0	48 Hours	Daphnia pulex	EC ₅₀	5.8 mg/L	PEEN (Pan European Ecological Network)
Ammonium sulfate (<0.01%) CAS#: 7783-20-2	48 Hours	None reported	LC ₅₀	14 mg/L	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)

Algae

If available, see ingredient data below

Other Information

Persistence and degradability

Product Biodegradability Data No data available.

Ingredient Biodegradability Data

Chemical name	Test method	Biodegradation	Exposure time	Results
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decan e (5 - 10%) CAS#: 100-97-0	None reported	70%	28 days	Readily biodegradable

Bioaccumulation

Product Bioaccumulation Data

No data available.

Partition Coefficient (n-octanol/water)

Not applicable

Ingredient Bioaccumulation Data

Chemical name	Test method	Exposure time	Species	Bioconcentrat ion factor (BCF)	Results
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decan e (5 - 10%)	None reported	None reported	None reported	None reported	Not determined
CAS#: 100-97-0 Formaldehyde (<0.1%) CAS#: 50-00-0	Estimation through BCFBAF v3.01 part of the Estimation Programs Interface (EPI) Suite™	None reported	None reported	BCF = 3.16228	Does not have the potential to bioaccumula te

Mobility

Soil Organic Carbon-Water Partition Coefficient

Not applicable

Water solubility

Water solubility classification	Water solubility	Water Solubility Temperature
Soluble	> 1000 mg/L	25 °C / 77 °F

Other adverse effects

Contains a substance with an endocrine-disrupting potential.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods							
Waste from residues/unused products		Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.					
Contaminated packaging	Do not reuse	Do not reuse empty containers.					
US EPA Waste Number	U122						
Chemical name	RCRA	RCRA - Basis for	RCRA - D Series	RCRA - U Series			

Product Name STABLCAL® Formazin Standard 20 NTU Revision Date 17-Aug-2018 Page 15 / 18

		Listing	Wastes	Wastes
Formaldehyde	U122	Included in waste	-	U122
50-00-0		streams: K009, K010,		
		K038, K040, K156, K157		

14. TRANSPORT INFORMATION

U.S. DOT Special Provisions	Not regulated
TDG	Not regulated
IATA	Not regulated
IMDG	Not regulated
Note:	No special precautions necessary.

Additional information

There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is not in a reagent set or kit, the classification given above applies.

If the item is part of a reagent set or kit the classification would change to the following:

UN3316 Chemical Kit, Hazard Class 9, Packing Group II or III.

If the item is not regulated, the Chemical Kit classification does not apply.

15. REGULATORY INFORMATION

National Inventories	
TSCA	Complies
DSL/NDSL	Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

International Inventories	
EINECS/ELINCS	Complies
ENCS	Does not comply
IECSC	Does not comply
KECL	Complies
PICCS	Does not comply
TCSI	Does not comply
AICS	Does not comply
NZIOC	Complies

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances **ENCS** - Japan Existing and New Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TCSI - Taiwan Chemical Substances Inventory

ICSI - Taiwan Chemical Substances inventory

AICS - Australian Inventory of Chemical Substances

NZIOC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
Formaldehyde (CAS #: 50-00-0)	0.1
Ammonium sulfate (CAS #: 7783-20-2)	1.0

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Formaldehyde 50-00-0	100 lb	-	-	Х

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Formaldehyde	100 lb	100 lb	RQ 100 lb final RQ
50-00-0			RQ 45.4 kg final RQ

U.S. - Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues

Chemical name	U.S Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues
Formaldehyde (<0.1%)	Release - Toxic (solution)
CAS#: 50-00-0	

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65
Formaldehyde (CAS #: 50-00-0)	Carcinogen

WARNING: This product can expose you to chemicals including Formaldehyde, which is known to the State of California to cause cancer.

For more information, go to <u>http://www.P65Warnings.ca.gov</u>

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane 100-97-0	Х	-	-

Product Name STABLCAL® Formazin Standard 20 NTU Revision Date 17-Aug-2018 Page 17 / 18

Sodium sulfate 7757-82-6	-	Х	Х
Formaldehyde 50-00-0	X	Х	Х
Ammonium sulfate 7783-20-2	-	Х	Х

U.S. EPA Label Information

Chemical name	FIFRA	FDA
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane	180.0910	-
Sodium sulfate	-	21 CFR 186.1797
Ammonium sulfate	180.0910	21 CFR 184.1143

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Special Comments

None

Additional information

Global Automotive Declarable Substance List (GADSL)

Chemical name	Global Automotive Declarable Substance List Classifications	Global Automotive Declarable Substance List Thersholds
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane 100-97-0	Declarable Substance (FI)	0.1 %
Formaldehyde	Declarable Substance (FI)	0.0 %
50-00-0	Prohibited Substance (LR)	0.1 %
	Declarable Substance (LR)	

NFPA and HMIS Classifications

NFPA	Health hazards - 2	Flammability - 0	Instability - 0	Physical and Chemical Properties -
HMIS	Health hazards - 2	Flammability - 0	Physical Hazards - 0	Personal protection - X
				- See section 8 for more
				information

Key or legend to abbreviations and acronyms used in the safety data sheet

NIOSH IDLH ACGIH NDF	, , , , , , , , , , , , , , , , , , ,	Immediately Dangerous to Life or Health ACGIH (American Conference of Governmental Industrial Hygienists) no data	
Legend - Section	n 8: EXPOSURE CONTROLS/PER	SONAL PROTECTION	
TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
MAC	Maximum Allowable Concentration	n Ceiling	Ceiling Limit Value
Х	Listed	Vacated	These values have no official status. The only binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state

Product Name STABLCAL® Formazin Standard 20 NTU Revision Date 17-Aug-2018 Page 18 / 18

				regulations.
SKN* RSP+ C M	Skin designation Respiratory sensit Carcinogen mutagen	ization	SKN+ ** R	Skin sensitization Hazard Designation Reproductive toxicant
Prepared By		Hach Product Compliance Department		
Issue Date		15-Aug-2018		
Revision Date		17-Aug-2018		
Revision Note		None		
Disclaimer				

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY©2018

End of Safety Data Sheet