

# SAFETY DATA SHEET

**Issue Date** 28-Jan-2020 **Revision Date** 28-Jan-2020 **Version** 5.6 **Page** 1 / 16

## 1. IDENTIFICATION

**Product identifier** 

Product Name STABLCAL® FORMAZIN STANDARD 100 NTU

Other means of identification

Product Code(s) 2684901

Safety data sheet number M03412

Recommended use of the chemical and restrictions on use

**Recommended Use** Laboratory Use. Standard solution.

Uses advised against None. Restrictions on use None.

Details of the supplier of the safety data sheet

**Manufacturer Address** 

Hach Company P.O.Box 389 Loveland, CO 80539 USA +1(970) 669-3050

Emergency telephone number

+1(303) 623-5716 - 24 Hour Service

## 2. HAZARDS IDENTIFICATION

### Classification

### **Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Respiratory sensitization	Category 1
Skin sensitization	Category 1

### Hazards not otherwise classified (HNOC)

Not applicable

# Label elements

## Signal word

Danger



### **Hazard statements**

EN / AGHS Page 1/16

NTU

Issue Date 28-Jan-2020 Revision Date 28-Jan-2020

**Version** 5.6 **Page** 2 / 16

H317 - May cause an allergic skin reaction

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

#### **Precautionary statements**

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P285 - In case of inadequate ventilation wear respiratory protection

P304 + P341 - IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing

P342 + P311 - If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician

P501 - Dispose of contents/ container to an approved waste disposal plant

P272 - Contaminated work clothing should not be allowed out of the workplace

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

P363 - Wash contaminated clothing before reuse

#### Other Hazards Known

None

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Substance

Not applicable

### **Mixture**

Chemical Family Mixture.

Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No.	Percent Range	HMRIC #
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane	100-97-0	5 - 10%	-
Sodium sulfate	7757-82-6	<1%	-
Formaldehyde	50-00-0	<0.1%	-
Diammonium sulfate	7783-20-2	<0.1%	1

# 4. FIRST AID MEASURES

### **Description of first aid measures**

**General advice** Show this safety data sheet to the doctor in attendance.

**Inhalation** May cause allergic respiratory reaction. If breathing has stopped, give artificial respiration.

Get medical attention immediately. Remove to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Get immediate medical advice/attention.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

**Skin contact** Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation

or allergic reactions see a physician.

Ingestion May produce an allergic reaction. Do NOT induce vomiting. Clean mouth with water and

drink afterwards plenty of water. Never give anything by mouth to an unconscious person.

Get immediate medical advice/attention.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or

EN / AGHS Page 2/16

NTU

Issue Date 28-Jan-2020 Revision Date 28-Jan-2020

**Version** 5.6 **Page** 3 / 16

clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.

Most important symptoms and effects, both acute and delayed

Symptoms May cause allergy or asthma symptoms or breathing difficulties if inhaled. Coughing and/ or

wheezing. Itching. Rashes. Hives.

Indication of any immediate medical attention and special treatment needed

**Note to physicians**May cause sensitization in susceptible persons. Treat symptomatically.

5. FIRE-FIGHTING MEASURES

surrounding environment.

Unsuitable Extinguishing Media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the

chemical

Product is or contains a sensitizer. May cause sensitization by inhalation and skin contact.

May cause sensitization by skin contact.

Hazardous combustion products This material will not burn.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

## 6. ACCIDENTAL RELEASE MEASURES

**U.S. Notice**Only persons properly qualified to respond to an emergency involving hazardous

substances may respond to a spill according to federal regulations (OSHA 29 CFR

1910.120(a)(v)) and per your company's emergency response plan and

guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations

should respond to a spill involving chemicals.

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Evacuate personnel to safe areas. Keep people away

from and upwind of spill/leak.

**Other Information** Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

**Environmental precautions** Prevent further leakage or spillage if safe to do so.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Pick up and transfer to properly labeled containers.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

**Reference to other sections** See section 8 for more information. See section 13 for more information.

EN / AGHS Page 3/16

NTU

Issue Date 28-Jan-2020 Revision Date 28-Jan-2020

**Version** 5.6 **Page** 4 / 16

### 7. HANDLING AND STORAGE

### Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Ensure adequate ventilation. Provide extract ventilation to points where emissions occur. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes. Take off contaminated clothing and wash before reuse.

## Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Keep out of the reach of children.

Flammability class Not applicable

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

### **Exposure Guidelines**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Formaldehyde	STEL: 0.3 ppm	TWA: 0.75 ppm	IDLH: 20 ppm
CAS#: 50-00-0	TWA: 0.1 ppm	(vacated) TWA: 3 ppm	Ceiling: 0.1 ppm 15 min
		(vacated) STEL: 10 ppm	TWA: 0.016 ppm
		(vacated) Ceiling: 5 ppm	
		STEL: 2 ppm	

Appropriate engineering controls

Engineering Controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

exceeded or irritation is experienced, ventilation and evacuation may be required.

**Hand Protection** Wear suitable gloves.

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Skin and body protection**Wear suitable protective clothing.

General Hygiene Considerations Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do

not eat, drink or smoke when using this product. Remove and wash contaminated clothing

and gloves, including the inside, before re-use.

Environmental exposure controls Local authorities should be advised if significant spillages cannot be contained. Do not

allow into any sewer, on the ground or into any body of water.

Thermal hazards None under normal processing.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

EN / AGHS Page 4/16

NTU

Issue Date 28-Jan-2020 Revision Date 28-Jan-2020

**Version** 5.6 **Page** 5 / 16

## Information on basic physical and chemical properties

aqueous solution

Physical state Liquid

Appearance Turbid solution Color white

Odor less Odor threshold No data available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

Molecular weight No data available

**pH** No data available

Melting point/freezing point  $\sim$  0 °C / 32 °F

**Boiling point / boiling range**  $\sim$  100 °C / 212 °F

Evaporation rate 1 (water = 1)

**Vapor pressure** 17.477 mm Hg / 2.33 kPa at 20 °C / 68 °F

Vapor density (air = 1)  $0.62 ext{ (Air = 1)}$ 

Specific gravity (water = 1 / air = 1) 1.02

Partition Coefficient (n-octanol/water) Not applicable

**Soil Organic Carbon-Water Partition** 

Coefficient

Not applicable

Autoignition temperature

No data available

Decomposition temperature

No data available

**Decomposition temperature**No data available

**Dynamic viscosity** No data available

Kinematic viscosity No data available

Solubility(ies)

### Water solubility

Water solubility classification	Water solubility_	Water Solubility Temperature	
Soluble	> 1000 mg/L	25 °C / 77 °F	

#### Solubility in other solvents

Chemical Name_	Solubility classification	<u>Solubility</u>	Solubility Temperature
None reported	No information available	No data available	No information available

### **Other Information**

## **Metal Corrosivity**

Steel Corrosion Rate

No data available
Aluminum Corrosion Rate

No data available

### **Volatile Organic Compounds (VOC) Content**

No information available See ingredients information below

EN / AGHS Page 5/16

NTU

Issue Date 28-Jan-2020 Revision Date 28-Jan-2020

**Version** 5.6 **Page** 6 / 16

Chemical name	CAS No.	Volatile organic compounds (VOC) content	CAA (Clean Air Act)
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]de	100-97-0	Not applicable	Х
cane			
Sodium sulfate	7757-82-6	No data available	-
Formaldehyde	50-00-0	No data available	X
Diammonium sulfate	7783-20-2	No data available	-

### **Explosive properties**

Upper explosion limitNo data availableLower explosion limitNo data available

Flammable properties

Flash point Not applicable

Flammability Limit in Air

Upper flammability limitNo data availableLower flammability limitNo data available

Oxidizing properties No data available.

Bulk density

No data available

## 10. STABILITY AND REACTIVITY

### Reactivity

Not applicable.

### **Chemical stability**

Stable under normal conditions.

## **Explosion data**

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

### Possibility of Hazardous Reactions

None under normal processing.

### **Hazardous polymerization**

None under normal processing.

### Conditions to avoid

None known based on information supplied.

#### Incompatible materials

Strong oxidizing agents, strong acids, and strong bases.

## <u>Hazardous Decomposition Products</u>

Ammonia. Carbon monoxide. Formaldehyde. Nitrogen oxides. Sodium oxides. Sulfur oxides.

# 11. TOXICOLOGICAL INFORMATION

## Information on Likely Routes of Exposure

EN / AGHS Page 6/16

NTU

Revision Date 28-Jan-2020

**Version** 5.6 **Page** 7 / 16

#### **Product Information**

Issue Date 28-Jan-2020

**Inhalation** May cause sensitization in susceptible persons.

**Eye contact** No known effect based on information supplied.

**Skin contact** Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.

May cause sensitization by skin contact.

**Ingestion** May cause additional affects as listed under "Inhalation".

Symptoms Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling

of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing.

Coughing and/ or wheezing. Itching. Rashes. Hives.

#### **Acute toxicity**

Based on available data, the classification criteria are not met

### **Product Acute Toxicity Data**

No data available.

# **Ingredient Acute Toxicity Data**

No data available.

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat LD <sub>50</sub>	100 mg/kg	None reported	None reported	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)
Diammonium sulfate (<0.1%) CAS#: 7783-20-2	Rat LD₅o	2840 mg/kg	None reported	None reported	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rabbit LD <sub>50</sub>	270 mg/kg	None reported	None reported	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat LC <sub>50</sub>	0.578 mg/L	4 hours	None reported	LOLI

### **Unknown Acute Toxicity**

### Acute Toxicity Estimations (ATE)

# The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	No information available
ATEmix (dermal)	No information available
ATEmix (inhalation-dust/mist)	No information available
ATEmix (inhalation-vapor)	No information available
ATEmix (inhalation-gas)	No information available

EN / AGHS Page 7/16

<sup>3.731</sup>E-05% of the mixture consists of ingredient(s) of unknown toxicity.

Issue Date 28-Jan-2020

Version 5.6

Product Name STABLCAL® FORMAZIN STANDARD 100

NTU

Revision Date 28-Jan-2020

**Page** 8 / 16

#### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

### **Product Skin Corrosion/Irritation Data**

No data available.

## Ingredient Skin Corrosion/Irritation Data

No data available.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decan e (5 - 10%) CAS#: 100-97-0	OECD Test 404: Acute Dermal Corrosion/Irritation	Rabbit	500 mg	4 hours	Not corrosive or irritating to skin	ECHA (The European Chemicals Agency)
Sodium sulfate (<1%) CAS#: 7757-82-6	Standard Draize Test	Rabbit	500 mg	4 hours	Not corrosive or irritating to skin	ECHA (The European Chemicals Agency)
Formaldehyde (<0.1%) CAS#: 50-00-0	Standard Draize Test	Human	0.150 mg	72 hours	Corrosive to skin	RTECS (Registry of Toxic Effects of Chemical Substances)
Diammonium sulfate (<0.1%) CAS#: 7783-20-2	Standard Draize Test	Rabbit	800 mg	20 hours	Not corrosive or irritating to skin	ECHA (The European Chemicals Agency)

# Serious eye damage/irritation

Based on available data, the classification criteria are not met.

# **Product Serious Eye Damage/Eye Irritation Data**

No data available.

## Ingredient Eye Damage/Eye Irritation Data

No data available.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decan e (5 - 10%) CAS#: 100-97-0		Rabbit	100 mg	24 hours	Not corrosive or irritating to eyes	ECHA (The European Chemicals Agency)
Sodium sulfate (<1%) CAS#: 7757-82-6	Standard Draize Test	Rabbit	90 mg	24 hours	Not corrosive or irritating to eyes	ECHA (The European Chemicals Agency)
Formaldehyde (<0.1%) CAS#: 50-00-0	Rinse Test	Human	1 ppm	6 minutes	Corrosive to eyes	RTECS (Registry of Toxic Effects of Chemical Substances)
Diammonium sulfate (<0.1%) CAS#: 7783-20-2	Standard Draize Test	Rabbit	0.050 mL	None reported	Not corrosive or irritating to eyes	ECHA (The European Chemicals Agency)

## Respiratory or skin sensitization

May cause sensitization by inhalation. May cause sensitization by skin contact.

## **Product Sensitization Data**

No data available.

EN / AGHS Page 8/16

Issue Date 28-Jan-2020

Version 5.6

Product Name STABLCAL® FORMAZIN STANDARD 100

NTU

Revision Date 28-Jan-2020

**Page** 9 / 16

## **Ingredient Sensitization Data**

No data available.

Chemical name	Test method	Species	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decan e (5 - 10%) CAS#: 100-97-0	OECD Test No. 406: Skin Sensitization	Guinea pig	Confirmed to be a skin sensitizer	ECHA (The European Chemicals Agency)
Sodium sulfate (<1%) CAS#: 7757-82-6	OECD Test No. 406: Skin Sensitization	Guinea pig	Not confirmed to be a skin sensitizer	HSDB (Hazardous Substances Data Bank)
Formaldehyde (<0.1%) CAS#: 50-00-0	Patch test	Human	Confirmed to be a skin sensitizer	ERMA (New Zealands Environmental Risk Management Authority)
Chemical name	Test method	Species	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decan e (5 - 10%) CAS#: 100-97-0	Based on human experience	Human	Confirmed to be a respiratory sensitizer	HSDB (Hazardous Substances Data Bank)
Formaldehyde (<0.1%) CAS#: 50-00-0	IgE Specific Immune Response Test	Guinea pig	Confirmed to be a respiratory sensitizer	CICAD (Concise International Chemical Assessment Documents)

# STOT - single exposure

Based on available data, the classification criteria are not met.

# Product Specific Target Organ Toxicity Single Exposure Data

No data available.

# Ingredient Specific Target Organ Toxicity Single Exposure Data

No data available.

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde	Human	70 mg/kg	None	Gastrointestinal	RTECS (Registry of Toxic
(<0.1%)	$LD_Lo$		reported	Kidney, Ureter, or Bladder	Effects of Chemical
CAS#: 50-00-0				Liver	Substances)
				Other changes	
				Ulcerated stomach	
				Other changes	
Diammonium sulfate	Man	1500 mg/kg	None	Gastrointestinal	RTECS (Registry of Toxic
(<0.1%)	TDLo		reported	Gas	Effects of Chemical
CAS#: 7783-20-2					Substances)

### STOT - repeated exposure

Based on available data, the classification criteria are not met.

## **Product Specific Target Organ Toxicity Repeat Dose Data**

No data available.

# Ingredient Specific Target Organ Toxicity Repeat Exposure Data

No data available.

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
1,3,5,7-Tetraazatricyc	Rat	80 mg/kg	None	None reported	Vendor SDS
lo[3.3.1.1(3,7)]decan	NOAEL		reported		

EN / AGHS Page 9/16

Issue Date 28-Jan-2020

Version 5.6

Product Name STABLCAL® FORMAZIN STANDARD 100

NTU

Revision Date 28-Jan-2020

**Page** 10 / 16

e (5 - 10%) CAS#: 100-97-0					
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decan e (5 - 10%) CAS#: 100-97-0	Rat TC⊾₀	350 mg/m <sup>3</sup>	21 days	Kidney, Ureter, or Bladder Urine volume decreased or anuria Nutritional and Gross Metabolic Weight loss or decreased weight gain Biochemical Enzyme inhibition, induction, or change in blood or tissue levels (true cholinesterase)	RTECS (Registry of Toxic Effects of Chemical Substances)
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Human TC∟∘	0.017 mg/L	0.5 days	Eye Lungs, Thorax, or Respiration Lacrimation Other changes	RTECS (Registry of Toxic Effects of Chemical Substances)

# Carcinogenicity

Based on available data, the classification criteria are not met.

# **Product Carcinogenicity Data**

No data available.

# **Ingredient Carcinogenicity Data**

No data available.

Chemical name	CAS No.	ACGIH	IARC	NTP	OSHA
1,3,5,7-Tetraazatricyclo[3.	100-97-0	-	-	-	-
3.1.1(3,7)]decane					
Sodium sulfate	7757-82-6	•	-	•	•
Formaldehyde	50-00-0	A1	Group 1	Known	Χ
Diammonium sulfate	7783-20-2	-	-	-	•

## Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	A2 - Suspected Human Carcinogen
IARC (International Agency for Research on Cancer)	Group 1 - Carcinogenic to Humans
NTP (National Toxicology Program)	Known - Known Carcinogen
OSHA (Occupational Safety and Health Administration of the US Department of	X - Present
Labor)	

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde	Rat	15 mg/L	78 weeks	Olfaction	RTECS (Registry of Toxic
(<0.1%)		_		Tumors	Effects of Chemical
CAS#: 50-00-0					Substances)

## **Germ cell mutagenicity**

Based on available data, the classification criteria are not met.

# Product Germ Cell Mutagenicity invitro Data

No data available.

EN / AGHS Page 10/16

Issue Date 28-Jan-2020

Version 5.6

Product Name STABLCAL® FORMAZIN STANDARD 100

NTU

Revision Date 28-Jan-2020

**Page** 11 / 16

## Ingredient Germ Cell Mutagenicity invitro Data

No data available.

Chemical name	Test	Cell Strain	Reported	Exposure	Results	Key literature
			dose	time		references and
						sources for data
1,3,5,7-Tetraazatricyc	Cytogenetic	Human HeLa Cell	1 mmol/L	None	Positive test result for	RTECS (Registry
lo[3.3.1.1(3,7)]decan	analysis			reported	mutagenicity	of Toxic Effects of
e						Chemical
(5 - 10%)						Substances)
CAS#: 100-97-0						•

# Product Germ Cell Mutagenicity invivo Data

No data available.

# Ingredient Germ Cell Mutagenicity invivo Data

No data available.

Chemical name	Test	Species	Reported	Exposure	Results	Key literature
			dose	time		references and
						sources for data
1,3,5,7-Tetraazatricyc	Dominant lethal	Mouse	25000 mg/kg	None	Positive test result for	RTECS (Registry
lo[3.3.1.1(3,7)]decan	test			reported	mutagenicity	of Toxic Effects of
е						Chemical
(5 - 10%)						Substances)
CAS#: 100-97-0						
Chemical name	Test	Species	Reported	Exposure	Results	Key literature
			dose	time		references and
						sources for data
Formaldehyde	Micronucleus test	Human	.000985 mg/L	8.5 years	Positive test result for	RTECS (Registry
(<0.1%)					mutagenicity	of Toxic Effects of
CAS#: 50-00-0						Chemical
						Substances)

# Reproductive toxicity

Based on available data, the classification criteria are not met.

# **Product Reproductive Toxicity Data**

No data available.

## **Ingredient Reproductive Toxicity Data**

No data available.

Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Sodium sulfate	Mouse	14000 mg/kg	4 days	Effects on Newborn	RTECS (Registry of Toxic
(<1%)	$TD_Lo$			Other neonatal measures or	Effects of Chemical
CAS#: 7757-82-6				effects	Substances)
Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time	-	sources for data
Formaldehyde	Rat	40 mg/L	14 days	Effects on Embryo or Fetus	RTECS (Registry of Toxic
(<0.1%)	TCL₀		-	Fetotoxicity (except death e.g.	Effects of Chemical
CAS#: 50-00-0				stunted fetus)	Substances)

### **Aspiration hazard**

Based on available data, the classification criteria are not met.

# 12. ECOLOGICAL INFORMATION

**Ecotoxicity** 

EN / AGHS Page 11/16

Product Name STABLCAL® FORMAZIN STANDARD 100

NTU

Revision Date 28-Jan-2020

Page 12/16

Unknown aquatic toxicity

Issue Date 28-Jan-2020

Version 5.6

4E-05% of the mixture consists of components(s) of unknown hazards to the aquatic environment.

**Product Ecological Data** 

Aquatic Acute Toxicity No data available.

Aquatic Chronic Toxicity
No data available.

## **Ingredient Ecological Data**

# **Aquatic Acute Toxicity**

No data available.

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sodium sulfate (<1%) CAS#: 7757-82-6	96 hours	None reported	LC50	56 mg/L	IUCLID (The International Uniform Chemical Information Database)
Formaldehyde (<0.1%) CAS#: 50-00-0	96 hours	Morone saxatilis	LC50	6.7 mg/L	PEEN (Pan European Ecological Network)
Diammonium sulfate (<0.1%) CAS#: 7783-20-2	96 hours	Oncorhynchus mykiss	LC50	36.7 mg/L	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)
Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sodium sulfate (<1%) CAS#: 7757-82-6	48 Hours	Daphnia magna	EC <sub>50</sub>	3150 mg/L	IUCLID (The International Uniform Chemical Information Database)
Formaldehyde (<0.1%) CAS#: 50-00-0	48 Hours	Daphnia pulex	EC <sub>50</sub>	5.8 mg/L	PEEN (Pan European Ecological Network)
Diammonium sulfate (<0.1%) CAS#: 7783-20-2	48 Hours	None reported	LC50	14 mg/L	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)

## **Aquatic Chronic Toxicity**

No data available.

## Persistence and degradability

**Product Biodegradability Data** 

No data available.

**Bioaccumulation** 

**Product Bioaccumulation Data** 

No data available.

Partition Coefficient (n-octanol/water)

Not applicable

**Mobility** 

Soil Organic Carbon-Water Partition Coefficient Not applicable

EN / AGHS Page 12/16

NTU

Issue Date 28-Jan-2020 Revision Date 28-Jan-2020

**Version** 5.6 **Page** 13 / 16

### Other adverse effects

Contains a substance with an endocrine-disrupting potential.

## 13. DISPOSAL CONSIDERATIONS

# Waste treatment methods

products

Waste from residues/unused

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

US EPA Waste Number Not applicable, U122

Chemical name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Formaldehyde	U122	Included in waste	-	U122
50-00-0		streams: K009, K010,		
		K038, K040, K156, K157		

# 14. TRANSPORT INFORMATION

**DOT** Not regulated

TDG Not regulated

<u>IATA</u> Not regulated

IMDG Not regulated

**Note:** No special precautions necessary.

### **Additional information**

There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods.

If the item is not in a reagent set or kit, the classification given above applies.

If the item is part of a reagent set or kit the classification would change to the following:

UN3316 Chemical Kit, Hazard Class 9, Packing Group II or III.

If the item is not regulated, the Chemical Kit classification does not apply.

# 15. REGULATORY INFORMATION

**National Inventories** 

TSCA Complies DSL/NDSL Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

International Inventories

EINECS/ELINCS

ENCS

Does not comply
IECSC

KECL

PICCS

Does not comply
Complies

EN / AGHS Page 13/16

Product Name STABLCAL® FORMAZIN STANDARD 100

NTU

Issue Date 28-Jan-2020 Revision Date 28-Jan-2020

**Version** 5.6 **Page** 14 / 16

NZIoC Complies

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TCSI - Taiwan Chemical Substances Inventory

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

## **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
Formaldehyde (CAS #: 50-00-0)	0.1
Diammonium sulfate (CAS #: 7783-20-2)	1.0

## SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Formaldehyde 50-00-0	100 lb	-	-	X

## CERCLA

Chemical name Hazardous Substances RQs		CERCLA/SARA RQ	Reportable Quantity (RQ)	
Formaldehyde	100 lb	100 lb	RQ 100 lb final RQ	
50-00-0			RQ 45.4 kg final RQ	

### U.S. - Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues

Chemical name	U.S Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues	
Formaldehyde (<0.1%)	Release - Toxic (solution)	
CAS#: 50-00-0		

# **US State Regulations**

### **California Proposition 65**

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65
Formaldehyde (CAS #: 50-00-0)	Carcinogen

 $\triangle$ 

WARNING: This product can expose you to chemicals including Formaldehyde, which is known to the State of California

EN / AGHS Page 14/16

NTU

Revision Date 28-Jan-2020

Page 15 / 16

to cause cancer.

Version 5.6

Issue Date 28-Jan-2020

For more information, go to <a href="http://www.P65Warnings.ca.gov">http://www.P65Warnings.ca.gov</a>

### U.S. State Right-to-Know Regulations

This product does not contain any substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania
1,3,5,7-Tetraazatricyclo[3.3.1.1(	X	-	-
3,7)]decane 100-97-0			
Sodium sulfate 7757-82-6	-	X	Х
Formaldehyde 50-00-0	X	X	Х
Diammonium sulfate 7783-20-2	-	X	Х

# **U.S. EPA Label Information**

Chemical name	FIFRA	FDA
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane	180.0910	-
Sodium sulfate	-	21 CFR 186.1797
Diammonium sulfate	180.0910	21 CFR 184.1143

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

## **Special Comments**

None

### **Additional information**

# Global Automotive Declarable Substance List (GADSL)

Chemical name	Global Automotive Declarable Substance List Classifications	Global Automotive Declarable Substance List Thersholds
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane 100-97-0	Declarable Substance (Fi)	0.1 %
Formaldehyde	Declarable Substance (LR)	0 %
50-00-0	Prohibited Substance (LR)	0.1 %
	Declarable Substance (Fi)	
	Prohibited Substance (Fi)	

## **NFPA and HMIS Classifications**

NFPA	Health hazards - 2	Flammability - 0	Instability - 0	Physical and chemical
				properties -
HMIS	Health hazards - 2	Flammability - 0	Physical hazards - 0	Personal protection -
	- *	_		X

### Key or legend to abbreviations and acronyms used in the safety data sheet

NIOSH IDLH Immediately Dangerous to Life or Health

ACGIH (American Conference of Governmental Industrial Hygienists)

NDF no data

### <u>Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION</u>

EN / AGHS Page 15/16

NTU

Issue Date 28-Jan-2020 Revision Date 28-Jan-2020

**Version** 5.6 **Page** 16 / 16

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

MAC Maximum Allowable Concentration Ceiling Ceiling Limit Value

X Listed Vacated These values have no official status. The only

binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state

regulations.

SKN\* Skin designation SKN+ Skin sensitization
RSP+ Respiratory sensitization \*\* Hazard Designation
C Carcinogen R Reproductive toxicant

M mutagen

Prepared By Hach Product Compliance Department

Issue Date 28-Jan-2020

Revision Date 28-Jan-2020

Revision Note None

### **Disclaimer**

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

**HACH COMPANY©2019** 

**End of Safety Data Sheet** 

EN / AGHS Page 16/16